

Code: TL-DECO-M5(1-PACK)

# WHOLE HOME WI-FI SYSTEM **TL-DECO-M5(1-PACK)** 2.4 GHz, 5 GHz 400 Mb/s + 867 Mb/s TP-LINK Net: 431.74 PLN Gross: 531.04 PLN

Deco is the easiest way to have a strong wireless signal in every corner of your house. The TL-DECO-M5(1-PACK) provides fast and stable connection for all devices in houses with an area up to 500m<sup>2</sup>. The Deco system uses several devices to create a unified Wi-Fi network, and thanks to the advanced Mesh technology, devices are automatically switched when moving around the house.

The Deco Mx offers a stable connection with speeds up to 1.5 Gb/s and is compatible with all cable modems, and the entire system can support up to 100 wireless devices in the network. The system is configured using a very simple, free Deco application.



## SPECIFICATION

Number of devices included:	1 pcs
Frequency range:	2.4 GHz, 5 GHz
Antenna type:	4 x Omnidirectional antenna - embedded
Standards:	IEEE 802.11 b/g/n @ 2.4 GHz IEEE 802.11 a/n/ac @ 5 GHz
Baud rates:	400 Mb/s + 867 Mb/s
LAN ports:	2 x 10/100/1000 Mbps
LED indicators:	<input checked="" type="checkbox"/>
DDNS:	<input checked="" type="checkbox"/>
DHCP server:	<input checked="" type="checkbox"/>
Firmware update:	Automatic
Protections:	WEP 64/128-bit, WPA/WPA2, WPA-PSK/WPA2-PSK DoS attacks protection, SPI network firewall, domain filtering, IP and MAC filtering, IP and MAC binding
Management interface:	Web browser, TP-LINK Tether
Transmitter power:	max. 20 dBm @ 2.4 GHz max. 23 dBm @ 5 GHz
Power supply:	12 V DC / 1.2 A (power adapter included)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Main features:	<ul style="list-style-type: none"> <li>• The Deco Mx offers a stable connection with speeds up to 1.5 Gb/s and is compatible with all cable modems, and the entire system can support up to 100 wireless devices in the network</li> <li>• TP-Link Mesh technology: MU-MIMO, Automatic route selection, AP control, Bandwidth control, Beamforming</li> <li>• Port forwarding</li> <li>• IPv4/IPv6</li> <li>• Guest Network - a separate and secure network for guests</li> <li>• Black list</li> <li>• Firewall</li> <li>• WMM (Wi-Fi Multimedia)</li> <li>• Internet access filtering</li> <li>• Access control, parental control</li> <li>• Remote management</li> <li>• Static / dynamic routing</li> <li>• Wireless transmission statistics</li> </ul>
System requirements:	<ul style="list-style-type: none"> <li>• Android 4.3 or newer</li> <li>• iOS 8.0 or newer</li> <li>• Bluetooth 4.0 or newer</li> </ul>
Operation temp:	0 °C ... 40 °C
Permissible relative humidity:	10 % ... 90 % (non-condensing)
Weight:	0.22 kg
Dimensions:	Ø 120 x 37 mm
Manufacturer / Brand:	TP-LINK
Guarantee:	2 years

## PRESENTATION

Top view:



Device connectors:




Bottom view:





Schematic diagram:



In the kit:

