

Code: TL-WN822N

WLAN USB ADAPTER **TL-WN822N** TP-LINK

Net: **12.18 EUR** Gross: **14.98 EUR**

Wireless card is practical wireless adapter for use in WiFi networks. The adapter/card is connected to USB port, so it is well suited for portable computers.

Enhanced encryption capabilities allow to protect the connections against unauthorized access.

Configuration of the card is very easy. The included software enables the user to monitor operation and transmission parameters. It can also operate in roaming between Access Points in Infrastructure mode.



SPECIFICATION

Supported standards:	IEEE 802.11 b/g/n
WiFi chipset:	Atheros
Supported transmission speeds:	300 Mbps
Operation modes:	Ad-Hoc, Infrastructure
Modulation type:	16-QAM, 64-QAM, OFDM, DQPSK, DBPSK, CCK
Antenna type:	2 pcs, 3 dBi built-in
Interface:	mini USB
Frequency range:	2.4 GHz ... 2.4835 GHz
Receiver sensitivity:	<ul style="list-style-type: none">• 270M: -68dBm@10% PER• 130M: -68dBm@10% PER• 108M: -68dBm@10% PER• 54M: -68dBm@10% PER• 11M: -85dBm@8% PER• 6M: -88dBm@10% PER• 1M: -90dBm@8% PER
Security measures:	WEP 64/128-bit, WPA/WPA2, WPA-PSK/WPA2-PSK
Included drivers:	Windows XP / 7 / 8 / 8.1 (32/64-bit)
Main features:	<ul style="list-style-type: none">• QSS (Quick Secure Setup) - This function allows easy connection (and configuration) of wireless devices to Access Point• Pressing WPS button on the device and the AP, the user triggers automatic configuration of both devices The whole procedure takes about 10 seconds
Certificates:	FCC, CE, RoHS

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	0 °C ... 40 °C
Weight:	0.048 kg
Dimensions:	90 x 68 x 17.5 mm
Manufacturer / Brand:	TP-LINK
Guarantee:	2 years

PRESENTATION





In the kit:

