

Code: ARCHER-T3U

WLAN USB ADAPTER **ARCHER-T3U** 300 Mbps @ 2.4 GHz, 867 Mbps @ 5 GHz TP-LINK

Net: **22.89 EUR** Gross: **22.89 EUR**

Wireless card is practical wireless adapter for use in WiFi networks. The adapter/card is connected to USB port, so it is well suited for portable computers.

It has built-in many security measures and enables good security level to the user.

Tiny sizes (after connect to the USB port sticks out 6mm only).



SPECIFICATION

Supported standards:	IEEE 802.11 b/g/n @ 2.4 GHz , IEEE 802.11 a/n/ac @ 5 GHz
Supported transmission speeds:	300 Mbps @ 2.4 GHz , 867 Mbps @ 5 GHz
Operation modes:	Ad-Hoc, Infrastructure
Modulation:	DBPSK, DQPSK, CCK, OFDM, 16-QAM, 64-QAM, 256-QAM
Antenna type:	Omnidirectional antenna , Integrated
Interface:	USB
Frequency range:	2.4 GHz ... 2.4835 GHz , 5.15 GHz ... 5.85 GHz
Transmitter power:	< 20 dBm
Receiver sensitivity:	• 2.4 GHz : 11b 11M : -86 dBm 11g 54M : -65 dBm 11n HT20 : -71 dBm 11n HT40 : -70 dBm • 5 GHz : 11a 6M : -91 dBm 11a 54M : -76 dBm 11n HT20 : -71 dBm 11n HT40 : -70 dBm 11ac HT20 : -68 dBm 11ac HT40 : -64 dBm 11ac HT80 : -62 dBm
Security measures:	WEP 64/128-bit, WPA/WPA2, WPA-PSK/WPA2-PSK
Included drivers:	Windows XP/Vista/7/8/10/11
Certificates:	CE, FCC, RoHS

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	0 °C ... 40 °C
Dimensions:	40.5 x 19.72 x 10.29 mm
Manufacturer / Brand:	TP-LINK
Guarantee:	3 years

PRESENTATION





USB connector:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------