

Code: AXON-VIDEO-IP

## OVERVOLTAGE LIMITER AXON-VIDEO-IP

Net: 20.46 EUR Gross: 25.17 EUR

Device is designed to overvoltage protection of devices connected to the Ethernet 10/100/1000 Mb/s networks. It allows to protect all 4 pairs of UTP cable carrying away the discharge current to the ground.



### SPECIFICATION

|  |                      |
|--|----------------------|
| Rated voltage:                         | 5 V                  |
| Maximal voltage:                       | 6 V                  |
| Voltage protection level (line-line):  | $\leq 40$ V          |
| Voltage protection level line-PG:      | $\leq 600$ V         |
| Nominal discharge current (line-line): | 100 A (8/20 $\mu$ s) |
| Nominal discharge current (line-PG):   | 100 A (8/20 $\mu$ s) |
| Maximal discharge current (line-line): | 135 A (8/20 $\mu$ s) |
| Maximal discharge current (line-PG):   | 135 A (8/20 $\mu$ s) |
| Capacity:                              | < 20 pF              |
| Protected pairs of wires:              | 1-2, 3-6, 4-5, 7-8   |
| Sockets types:                         | RJ45 (8P8C)          |
| Dimensions:                            | 66 x 60 x 30 mm      |
| Weight:                                | 0.05 kg              |
| Guarantee:                             | 2 years              |

### PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:



In the kit:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

