


Code: AXON-MULTINET-8

OVERVOLTAGE LIMITER AXON-MULTINET-8 ETHERNET

Net: 148.84 EUR Gross: 148.84 EUR

The AXON-MULTINET-8 is multi-channel overvoltage protection device designed to overvoltage protection of devices connected to the Ethernet 10/100/1000 Mb/s networks, such as: network cards, hubs, switches, routers, etc. It has 8 independent channels (in/out), for each channel the device protects all 4 wires of the UTP cable carrying away the discharge current to the ground.




SPECIFICATION

Sockets type:	8 x RJ-45 (8-pin, 4 pairs)
Protected pairs of wires:	1-2, 3-6, 4-5, 7-8
Rated voltage:	20 V
Maximal voltage:	25 V
Voltage protection level (line-line):	≤ 40 V
Voltage protection level line-PG:	≤ 600 V
Nominal discharge current (line-line):	100 A (8/20 μ s)
Nominal discharge current (line-PG):	100 A (8/20 μ s)
Maximal discharge current (line-line):	135 A (8/20 μ s)
Maximal discharge current (line-PG):	135 A (8/20 μ s)
Capacity:	≤ 20 pF
Weight:	0.44 kg
Dimensions:	162 x 90 x 37 mm
Guarantee:	2 years

PRESENTATION

Front panel:



Rear panel:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

