

Code: HDMI+USB-EX-100/RX

EXTENDER RECEIVER **HDMI+USB-EX-100/RX** SIGNAL

Net: **51.84 EUR** Gross: **51.84 EUR**

Device allows to send High Definition signal to the TV-Set receiver equipped with HDMI connector via UTP Cat. 5e, 6 cable. Extender also allows to extend an USB 2.0 port, eg. in order to control the recorder using the mouse.

To TV set you need connect only one UTP cable, what makes installation easy and improve aesthetic quality of installation.

The signal bit-rate at the transmitter output is approximately 20 Mb/s, which results in a slight visible compression effect. The recommended minimum distance of watching from the screen is 2m ... 3m.

Attention! The device operates from the monitor side.



SPECIFICATION

Device type:	Receiver
Supported HDMI resolutions:	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Maximal transmission range:	100 m UTP cat. 5e, 6
Protocols:	HDbiT
Main features:	<ul style="list-style-type: none">• Extender also allows to extend an USB 2.0 port, eg. in order to control the recorder using the mouse• The devices do not require direct connection, they also operate via the LAN network• Audio transmission via network
Power supply:	5 V DC / 1 A (power adapter included)
Operation temp:	-10 °C ... 60 °C
Permissible relative humidity:	20 % ... 90 % (non-condensing)
Weight:	0.168 kg
Dimensions:	110 x 89 x 26 mm
Manufacturer / Brand:	SIGNAL
Guarantee:	2 years

PRESENTATION

Transmitter and receiver connectors:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Top view:



Connection schematic diagram:



- 1. Recorder
 - 2. Transmitter
 - 3. Receiver
 - 4. USB Mouse
 - 5. Monitor
 - 6. Switch
- In the kit:





PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------