

Code: HDMI-EX-150IR/TX-V4

## EXTENDER TRANSMITTER **HDMI-EX-150IR/TX-V4**

Net: **80.37 EUR** Gross: **80.37 EUR**

Device allows to send High Definition signal to the TV-Set receiver equipped with HDMI connector via UTP Cat. 5, 5e, 6 cable.



### SPECIFICATION

Device type:	Transmitter
HDMI standard:	1.3
HDCP:	1.4
Protocols:	HDBitT
Supported HDMI resolutions:	1080p, 1080i, 720p, 576p, 576i, 480p, 480i
Maximal transmission range:	<ul style="list-style-type: none"><li>• 120 m @ 1080p - UTP cat. 6</li><li>• 100 m @ 1080p - UTP cat. 5e</li><li>• 80 m @ 1080p - UTP cat. 5</li></ul>
Main features:	<ul style="list-style-type: none"><li>• IR carrier frequency : 20 ... 60 kHz</li><li>• Baudrate : 18 Mbps</li><li>• Protections : lightning, Overvoltage, ESD</li></ul>
Power supply:	5 V DC / 1 A - (power adapter included)
Current consumption:	3 W
Operation temp:	0 °C ... 60 °C
Weight:	0.146 kg
Dimensions:	97 x 94 x 24 mm
Guarantee:	2 years

### PRESENTATION

Connectors:


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Examples of connection diagrams:




- 1) Device with HDMI output
- 2) HDMI cable
- 3) HDMI-EX-150IR/TX-V4
- 4) UTP Cat.5e/6
- 5) HDMI-EX-150IR/RX-V4
- 6) Monitor with HDMI input



- 1) Device with HDMI output
- 2) HDMI cable
- 3) HDMI-EX-150IR/TX-V4
- 4) UTP Cat.5e/6
- 5) Hub / Switch
- 6) HDMI-EX-150IR/RX-V4
- 7) Monitor with HDMI input





- 1) Device with HDMI output
  - 2) HDMI cable
  - 3) HDMI-EX-150IR/TX-V4
  - 4) UTP Cat.5e/6
  - 5) Hub / Switch
  - 6) HDMI-EX-150IR/RX-V4
  - 7) Monitor with HDMI input
- In the kit:



**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------