

Code: HDMI-EX-150IR/TX-V4

EXTENDER TRANSMITTER **HDMI-EX-150IR/TX-V4**

Net: **76.85 EUR** Gross: **94.53 EUR**

Device allows to send High Definition signal to the TV-Set receiver equipped with HDMI connector via UTP Cat. 5, 5e, 6 cable.




SPECIFICATION

Device type:	Transmitter
HDMI standard:	1.3
HDCP:	1.4
Protocols:	HDBitT
Supported HDMI resolutions:	1080p, 1080i, 720p, 576p, 576i, 480p, 480i
Maximal transmission range:	<ul style="list-style-type: none">• 120 m @ 1080p - UTP cat. 6• 100 m @ 1080p - UTP cat. 5e• 80 m @ 1080p - UTP cat. 5
Main features:	<ul style="list-style-type: none">• IR carrier frequency : 20 ... 60 kHz• Baudrate : 18 Mbps• Protections : lightning, Overvoltage, ESD
Power supply:	5 V DC / 1 A - (power adapter included)
Current consumption:	3 W
Operation temp:	0 °C ... 60 °C
Weight:	0.146 kg
Dimensions:	97 x 94 x 24 mm
Guarantee:	2 years

PRESENTATION

Connectors:


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Examples of connection diagrams:




- 1) Device with HDMI output
- 2) HDMI cable
- 3) HDMI-EX-150IR/TX-V4
- 4) UTP Cat.5e/6
- 5) HDMI-EX-150IR/RX-V4
- 6) Monitor with HDMI input



- 1) Device with HDMI output
- 2) HDMI cable
- 3) HDMI-EX-150IR/TX-V4
- 4) UTP Cat.5e/6
- 5) Hub / Switch
- 6) HDMI-EX-150IR/RX-V4
- 7) Monitor with HDMI input





- 1) Device with HDMI output
 - 2) HDMI cable
 - 3) HDMI-EX-150IR/TX-V4
 - 4) UTP Cat.5e/6
 - 5) Hub / Switch
 - 6) HDMI-EX-150IR/RX-V4
 - 7) Monitor with HDMI input
- In the kit:

