

Code: HDMI+USB-EX-70-4K-PRO

EXTENDER **HDMI+USB-EX-70-4K-PRO**

Net: **76.29 EUR** Gross: **76.29 EUR**

Device allows to send High Definition signal to the TV-Set receiver equipped with HDMI connector via UTP Cat. 6 / 6A / 7 cable. Extender also allows to extend an USB 2.0 port, eg. in order to control the recorder using the mouse. To TV set you need connect only one UTP cable, what makes installation easy and improve aesthetic quality of installation.



SPECIFICATION

Supported HDMI resolutions:	max. 4K UHD @ 30 Hz
Maximal transmission range:	• 40 m - UTP cat. 6, 6A, 7 @ 4K UHD, • 70 m - UTP cat. 6, 6A, 7 @ 1080p
Main features:	• Extender also allows to extend an USB 2.0 port, eg. in order to control the recorder using the mouse • Support KVM function, • HDMI 1.4 • HDCP 1.4 • HDR support, • Audio: DTS, DTS-HD, PCM, LPCM support • PoC support - only TX power supply is needed • ESD protection - IEC 61000-4-2, ±4kV contact, ±8kV air
Main features:	• Very good image quality with no visible distortions caused by compression, • No delays in video transmission, • No delays in mouse control operations • Designed to continuous operation 24/7 • USB-A / USB-A cable included
Power supply:	5 V DC / 2 A (power adapter included)
Operation temp:	-20 °C ... 60 °C
Permissible relative humidity:	0 % ... 90 % (non-condensing)
Weight:	• 0.12 kg - Transmitter • 0.13 kg - Receiver
Dimensions:	77 x 60 x 20 mm - Transmitter or receiver dimensions
Guarantee:	2 years

PRESENTATION

Transmitter and receiver connectors:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Transmitter and receiver respectively:



Connection schematic diagram:



In the kit:



OUR OPINIONS



- Very good image quality with no visible distortions caused by compression.
- No delays in signal transmission.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

