

Code: YA-720+PIR

HIDDEN CAMERA **YA-720+PIR** STANDARD: AHD, PIR DETECTOR - 720p 3.7 mm

Net: **48.18 EUR** Gross: **59.26 EUR**

The color camera with 1/4" CMOS sensor with PIR detector built-in, hidden inside detector casing.

The AHD interface allows to transmission of analog video signal via coaxial cable in 720p resolution. It enables the transmission of HD resolution images for even 500 m distance with keeping the low costs of the installation. During transmission there are no delays and is maintained the original, high quality image.



SPECIFICATION


Standard:	AHD
Sensor:	1/4 " H42+89 CMOS
Matrix size:	1.0 Mpx
Resolution:	1280 x 720 - 720p, AHD-M
Lens:	3.7 mm (pinhole)
View angle:	<ul style="list-style-type: none">• 52 ° (manufacturer data)• 50 ° (our tests result)
S/N ratio:	> 50 dB
Video output:	1 Vpp 75 Ω, AHD
Audio:	<ul style="list-style-type: none">• Microphone built-in• Audio output - Cinch socket
PIR detector:	✓
Detection angle / Detection range:	110 ° / 7 m
Alarm outputs:	1 pcs NO/GND
Main features:	<ul style="list-style-type: none">• AGC - Automatic Gain Control• BLC - Back Light Compensation• Auto White Balance
OSD menu:	—
Application:	The camera is designed for indoor use, due to the possibility of steam condensation.

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


"Index of Protection":	IP40
Power supply:	12 V DC / 110 mA
Housing:	Spy, Plastic
Color:	White
Operation temp:	-10 °C ... 50 °C
Weight:	0.146 kg
Dimensions:	62 x 90 x 48 mm
Guarantee:	2 years

PRESENTATION

Front view:



Internal view:



Mounting side view:




In the kit:



OUR TESTS

Camera image at artificial illumination (about 30Lux):



Camera image at direct strong light opposite to camera:



Camera image at night conditions, at different illumination values show below:

1 LUX:



0.1 LUX:

