

Code: PFM811-C

STABILIZER POC **PFM811-C** DAHUA

Net: **138.00 PLN** Gross: **169.74 PLN**

The PFM811-C stabilizer allows to supply the PoC - Power over Coaxial to cameras that do not support this technology. The maximal range of the video transmission and power sending via RG-59 coaxial cable is equal 400 m.
The device is intended for mounting on the camera side.
The device requires 12V ... 36V DC power supply voltage, which is stabilized to 12V DC.



SPECIFICATION

Standard:	HD-CVI - 1080p / 720p
Device type:	Active
Number of channels:	<ul style="list-style-type: none">• 1 x Video,• 1 x DC
Video transmission range:	400 m @ RG-59 / RG-6
Connectors type:	<ul style="list-style-type: none">• Input Video - BNC, Plug with cable• Output DC - Plug 2.1 / 5.5 mm• Output Video + PoC - BNC socket
Output voltage:	12 V DC
Power supply distance:	max. 400 m @ 15 W
Main features:	DIN, TS-35 rail mounting
Permissible relative humidity:	< 95 %
Operation temp:	-30 °C ... 60 °C
Weight:	0.082 kg
Dimensions:	79 x 62 x 27 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Device connectors:



Dimensions:



Transmission schematic diagram:





DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60