

Code: BCS-DMQE2200IR3-B

AHD, HD-CVI, HD-TVI, PAL CAMERA **BCS-DMQE2200IR3-B** - 1080p 2.8 mm

Net: **39.26 EUR** Gross: **48.29 EUR**

Megapixel camera with 1/2.9" CMOS sensor and AHD / HD-CVI / HD-TVI / CVBS.

The AHD / HD-CVI / HD-TVI interface allows to transmission of analog video signal via coaxial cable in max. 8 Mpx (4K UHD) resolution. During transmission there are no delays and is maintained the original, high quality image.

In the case of video transmission using a twisted pair cable and matching transformers (balun), be aware of the possibility of signal reflections and interfering signals.



SPECIFICATION

| | |
|----------------------------------|---|
| Standard: | AHD / HD-CVI / HD-TVI / CVBS |
| Sensor: | 1/2.9 " Progressive Scan CMOS |
| Matrix size: | 2.1 Mpx |
| Resolution: | 1920 x 1080 - 1080p 1280 x 720 - 720p |
| Range of IR illumination: | 30 m |
| IR illuminator power adjustment: | Automatic |
| Lens: | 2.8 mm, F1.2 |
| View angle: | • 91 ° (manufacturer data) • 105 ° (our tests result) |
| S/N ratio: | 50 dB |
| Video output: | AHD / HD-CVI / HD-TVI / CVBS, 1 Vpp / 75 Ω |
| OSD menu: | ✓ |
| Main features: | <ul style="list-style-type: none">• D-WDR - Wide Dynamic Range• 3D-DNR - Digital Noise Reduction• BLC - configurable Back Light Compensation• ICR - Movable InfraRed filter• AGC - Automatic Gain Control• Auto White Balance• Mirror - Mirror image• Configurable Privacy Zones |
| Power supply: | 12 V DC / 670 mA |
| Power consumption: | < 8 W |
| Housing: | Dome, Metal |
| Color: | White |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|------------------------|------------------|
| "Index of Protection": | IP66 |
| Vandal-proof: | — |
| Operation temp: | -20 °C ... 60 °C |
| Weight: | 0.28 kg |
| Dimensions: | Ø 94 x 80 mm |
| Manufacturer / Brand: | BCS |
| Guarantee: | 3 years |

PRESENTATION

Camera is out from clamping ring:



Dimensions:



Configuration switches:



In the kit:



OUR TESTS

AHD:

Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Camera image at direct strong light opposite to camera:



HD-CVI:

Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:



HD-TVI:

Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:



PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|