

Code: RC-16602WD

PAL DVR **RC-16602WD** 16 CHANNELS +eSATA

Net: **560.36 EUR** Gross: **560.36 EUR**



SPECIFICATION

Standard:	PAL
Video inputs:	16 pcs BNC
Number of compression levels:	5
Video outputs:	1 pcs HDMI 1 pcs VGA 1 pcs CVBS 1 pcs SPOT
Audio inputs:	16 pcs CINCH
Audio outputs:	1 pcs CINCH
Image compression method:	H.264
Image records resolutions:	960 x 576 704 x 576 352 x 288
Maximal total frame rate:	400 fps @ 352 x 288 px, 400 fps @ 960 x 576 px, 400 fps @ 704 x 576 px
Recording speed adjustment:	1 ... 25 fps for each channel
Recording modes:	Manual, Sensor, Motion detection, Schedule
Supported hard drives:	4 x 4 TB SATA 1 x 4 TB eSATA
External storage devices backup:	Save single frames and whole records from DVR drive to the USB drive (max. 60 mins AVI) Huge Backup function - native format backup up to 24h
Searching and playback the records:	EZ Search function Timeline search, events search, fast access to the first and the last record. Playback: forward, backward, fast, step
Network functions:	Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters
Mobile phones support:	Port 5445 • Android: Free application iUMS • iOS (iPhone): Free application iUMS
Alarm inputs / outputs:	16 pcs Input / 4 pcs Output

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PTZ control:	RS-485 Many protocols
Motion Detection:	Split the screen into zones 20 x 18 motion zones Very good sensitivity after motion detection records detected channels only
Mouse support:	✓
IR remote controller in the set:	✓
Power supply:	12 V DC / 6.6 A (power adapter included)
Weight:	4.64 kg
Dimensions:	432 x 360 x 98 mm
Supported languages:	English, Brazilian Portuguese, Portuguese, Chinese Simplified, Croatian, Danish, French, Greek, Spanish, Korean, German, Polish, Russian, Thai, Turkish, Italian
Country of origin:	South Korea
Manufacturer / Brand:	NADATEL
Guarantee:	2 years

PRESENTATION

Front view:



Rear view:



In the kit:



Installation of video surveillance iUMS application in Android system smartphones:

:

iUMS application usage in Android system smartphones:

:

OUR OPINIONS



- Possibility to select via network client the live video transmission resolution.

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

- Bi-directional audio transfer via network (UMS Multi Client).
- Good motion detection sensitivity.
- KT-800 keyboard support.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

