

Code: VTKB-VTO5110B-VTH1500B

VIDEO DOORPHONE KIT **VTKB-VTO5110B-VTH1500B** DAHUA

Net: **253.35 EUR** Gross: **253.35 EUR**

The VTKB-VTO5110B-VTH1500B is designed to cooperation with video doorphones and panels working in analog DAHUA system.
ATTENTION! The device does not support the DAHUA IP system.



SPECIFICATION

DOOR STATION:	
Sensor:	CMOS, 600 TVL
IR illuminator:	Built-in Infra-Red illuminator enables night monitoring
proximity reader built-in:	Standard : 13.56 MHz S50
Video output:	RJ-45, compatible with DAHUA analog video door-phone system
Operation temp:	-30 °C ... 60 °C
Power supply:	24 V DC
Power consumption:	≤ 4 W
Housing:	Plastic / Tempered glass, Waterproof
Color:	Black
Weight:	0.37 kg
Dimensions:	154 x 114 x 43 mm
INDOOR PANEL:	
Shield:	7 " TFT-LCD color matrix
Resolution:	800 x 480
Main features:	• Plug & Play • Ultra-flat hands-free monitor, with speakerphone • Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume • Alarm inputs : 2 pcs • Door lock (strike) - 2-wire cable installation (not included)
Power supply:	24 V DC
Max. current:	170 mA

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Power consumption:	≤ 1.5 W Standby ≤ 4 W Operation
Operation temp:	-10 °C ... 55 °C
Weight:	0.48 kg
Dimensions:	221 x 154 x 26 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Door station:
Front view:






Mounting side view:



Connectors view:



Connectors description:



INDOOR PANEL:

Front view:



Rear view:





PACKAGE

Dimensions (L x W x H): 0x0x0 mm Gross Weight: 0 kg