

Code: Z1B

VIDEO DOORPHONE KIT **Z1B** COMWEI

Net: **76.56 EUR** Gross: **76.56 EUR**



SPECIFICATION

DOOR STATION:	
Sensor:	1/3 " CCD
Camera view angle:	~ 87 °
Resolution:	940 TVL
IR illuminator:	Built-in Infra-Red illuminator enables night monitoring
proximity reader built-in:	—
Video output:	1 Vpp / 75 Ω
Operation temp:	-20 °C ... 50 °C
Power supply:	14.5 V DC (power adapter included)
Power consumption:	< 1.5 W
Housing:	Metal, Waterproof
"Index of Protection":	IP65
Color:	Graphite
Weight:	0.30 kg
Dimensions:	58 x 134 x 40 mm
INDOOR PANEL:	
Shield:	7 " TFT-LCD color matrix
Resolution:	800 x 480

Main features:	• Plug & Play, • Ultra-flat hands-free monitor, with speakerphone, • Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume, • Additional gate control, • 4-wire cable installation, • Door lock (strike) - 2-wire cable installation (not included), • Can be extended with additional monitor and camera, • Communication : via cable (duplex)
Color:	Black
Power supply:	14.5 V DC (power adapter included)
Power consumption:	< 7 W Operation
Operation temp:	-10 °C ... 55 °C
Weight:	0.39 kg
Dimensions:	245 x 161 x 25 mm
Manufacturer / Brand:	COMWEI
Guarantee:	2 years

PRESENTATION

Front view:



DOOR STATION:

Mounting side view:



View after remove the cover:



INDOOR PANEL:
Monitor mounting side view:



Connectors:



Side view:






Power adapter:
Front view:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------