

Code: XVR301-04G

AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR **XVR301-04G** 4 CHANNELS UNIVIEW

Net: **72.62 EUR** Gross: **89.32 EUR**

The XVR301-04G digital recorder with AHD (Analog High Definition), HD-CVI (High Definition Composite Video Interface), HD-TVI (High Definition Transport Video Interface), TCP/IP and CVBS interface is a professional device applicable in surveillance systems.

The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.



SPECIFICATION

| | |
|-----------------------------|--|
| Standard: | AHD, HD-CVI, HD-TVI, CVBS, TCP/IP |
| Video inputs: | 4 pcs BNC - AHD / HD-CVI / HD-TVI / CVBS |
| Video outputs: | <ul style="list-style-type: none">• 1 pcs HDMI• 1 pcs VGA |
| Audio inputs: | <ul style="list-style-type: none">• 1 pcs CINCH,• 4 Channels - Coaxial audio - Audio support via coaxial cable |
| Audio outputs: | 1 pcs CINCH |
| Image compression method: | H.265 / H.264 |
| Image records resolutions: | <ul style="list-style-type: none">• HD-TVI / AHD : 5M-N - 1296 x 1944 , 4M-N - 1280 x 1440 , 1080p - 1920 x 1080 , 1080N - 960 x 1080 , 720p - 1280 x 720 ,• HD-CVI : 5M-N - 1296 x 1944 1 CH only , 4M-N - 1280 x 1440 , 1080p - 1920 x 1080 , 1080N - 960 x 1080 , 720p - 1280 x 720 ,• PAL : 960H - 960 x 576 ,• IP : max. 4 Mpx - 2560 x 1440 |
| Recording speed adjustment: | 4 Mpx IP @ 1 ... 25 fps 5M-N @ 1 ... 12 fps 4M-N @ 1 ... 15 fps 1080p @ 1 ... 15 fps 1080N @ 1 ... 15 fps 720p @ 1 ... 25 fps 960H @ 1 ... 25 fps for each channel |
| Operation modes: | 4 x HD-TVI / AHD / HD-CVI / CVBS / IP + 2 x IP |
| Recording modes: | Manual, Motion Detection, Schedule |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|-------------------------------------|--|
| Supported hard drives: | 1 x 8 TB SATA |
| External storage devices backup: | Backup to USB drive (pendrive, external drive) |
| Searching and playback the records: | Records searching: timeline or file list. Playback: forward, backward, fast, slow. All channels synchronous playback, Smart Search function |
| Network interface: | 1 x RJ-45 - 10/100 Base-TX |
| Bitrate: | max. 24 Mbps |
| Network functions: | Live image view, Playback the records, Remote configuration, Web Server built-in, 128 on-line users |
| Network protocols: | TCP/IP, P2P, UPnP, NTP, DHCP, PPPoE |
| Mobile phones support: | Port no.: 80 or access by a cloud (P2P) <ul style="list-style-type: none"> • Android: Free application EZView • iOS (iPhone): Free application EZView |
| Default IP address: | DHCP or 192.168.1.30 |
| Default admin user / password: | admin / 123456 |
| Web browser access ports: | 80, 554 |
| PC client access ports: | Port no.: 80 or access by a cloud (P2P) - PC: Free application EZStation |
| Mobile client access ports: | 80 |
| RTSP URL: | rtsp://192.168.1.30:554/unicast/c1/s0/live - Main stream rtsp://192.168.1.30:554/unicast/c1/s1/live - Sub stream |
| Alarm inputs / outputs: | — |
| PTZ control: | PTZ Uniview cameras |
| Motion Detection: | ✓ |
| USB: | 2 x USB 2.0 |
| Mouse support: | ✓ |
| IR remote controller in the set: | — |
| Power supply: | 12 V DC / 2 A (power adapter included) |
| Color: | Black |
| Weight: | 0.94 kg |
| Dimensions: | 260 x 252 x 45 mm |
| Supported languages: | Polish, English, Czech, French, Spanish, Dutch, German, Portuguese, Slovak, Italian, Hungarian |
| Country of origin: | China |
| Manufacturer / Brand: | UNIVIEW |
| Guarantee: | 3 years |

PRESENTATION

Front panel:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Rear panel:




See how to mount a hard disk drive and configure the recorder:

:

In the kit:



Example captures of device interface:



PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60