

Code: APTI-XB0801-S32

## AHD, HD-CVI, HD-TVI, CVBS, TCP/IP DVR **APTI-XB0801-S32** 8 CHANNELS

Net: **69.82 USD** Gross: **85.88 USD**

The APTI-XB0801-S32 digital recorder with AHD (Analog High Definition), HD-CVI (High Definition Composite Video Interface), HD-TVI (High Definition Transport Video Interface), TCP/IP and CVBS interface is a professional device applicable in surveillance systems.

The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.

**Attention!** The APTI-XBxxxx series recorders are supported by the new BitVision and IVMS320 applications. The device does not work with the FREEIP application.



### SPECIFICATION

Standard:	AHD, HD-CVI, HD-TVI, CVBS, TCP/IP
Video inputs:	8 pcs BNC - AHD / HD-CVI / HD-TVI / CVBS
Video outputs:	1 pcs HDMI 1 pcs VGA
Audio inputs:	4 pcs CINCH
Audio outputs:	1 pcs CINCH
Image compression method:	H.264
Number of compression levels:	6
Image records resolutions:	<ul style="list-style-type: none"><li>• AHD / HD-CVI / HD-TVI : 1080N - 960 x 1080 720p - 1280 x 720</li><li>• AHD / PAL : 960H - 960 x 576 ,</li><li>• IP : max. 5 Mpx - 2592 x 1944</li></ul>
Recording speed adjustment:	1 ... 15 fps @ 960 x 1080 px 1 ... 15 fps @ 1280 x 720 px 1 ... 25 fps @ 960 x 576 px for each channel
Operation modes:	<ul style="list-style-type: none"><li>• 8 x AHD / HD-CVI / HD-TVI / CVBS</li><li>• 6 x AHD / HD-CVI / HD-TVI / CVBS + 2 x IP max. 5 Mpx</li><li>• 4 x AHD / HD-CVI / HD-TVI / CVBS + 4 x IP max. 5 Mpx</li><li>• 2 x AHD / HD-CVI / HD-TVI / CVBS + 6 x IP max. 5 Mpx</li><li>• 8 x IP max. 5 Mpx</li><li>• 12 x IP max. 4 Mpx</li></ul> All modes allow for any combination of the AHD, HD-CVI, HD-TVI, CVBS cameras
Recording modes:	Motion Detection, Schedule
Supported hard drives:	1 x 8 TB SATA
External storage devices backup:	Records backup at (.avi) format to USB (pendrive)
Searching and playback the records:	Records searching: timeline or file list. Playback: forward, backward, fast, slow. Records playback from max. 8 channels in the same time

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Network functions:	<ul style="list-style-type: none"> <li>• Network Client Software (iVMS320): live view, playback and backup of the records</li> <li>• IE browser: live view, playback and backup of the records and configuration of the recorder parameters</li> </ul>
Mobile phones support:	Port no.: 6000 or access by a cloud (P2P) <ul style="list-style-type: none"> <li>• Android: Free application <a href="#">BitVision</a>, Android: Free application <a href="#">iVMS320</a></li> <li>• iOS (iPhone): Free application <a href="#">BitVision</a>, iOS: Free application <a href="#">iVMS320</a></li> </ul>
Default IP address:	192.168.1.168
Default admin user / password:	admin / 12345
Web browser access ports:	80, 5000, 554
PC client access ports:	80, 5000, 554
Mobile client access ports:	80, 5000, 6000
Alarm inputs / outputs:	—
PTZ control:	—
Motion Detection:	Split the screen into zones : 22 x 18 motion zones
Mouse support:	✓
IR remote controller in the set:	—
Power supply:	12 V DC / 2 A (power adapter included)
Color:	Black
Weight:	0.79 kg
Dimensions:	260 x 225 x 46 mm
Supported languages:	Polish, English, Bulgarian, Czech, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Turkish, Hungarian, Italian
Country of origin:	China
Manufacturer / Brand:	APTI
Guarantee:	2 years

## PRESENTATION

Front panel:



Rear view:



In the kit:

