Code: KTO-011

THERMOSTAT **KTO-011**

Net: 5.75 EUR Gross: 5.75 EUR



Thermostat (Normally Closed) - can automatically turn off the connected devices when the ambient temperature exceeds the set value.

SPECIFICATION

Sensor type:	Bimetallic
Contact type:	NC - opened after exceeding the set temperature
Maximal power voltage:	250 V AC
Relay maximal load:	10 A
Temperature set range:	0 °C ... 60 °C
Hysteresis:	7 °C ± 4 °C
Operation temp:	-20 °C ... 80 °C
"Index of Protection":	IP20
Assembly:	DIN TS-35 rail
Weight:	0.040 kg
Dimensions:	60 x 43 x 33 mm
Guarantee:	2 years

PRESENTATION

Front view:

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Mounting side view:



Bottom view:

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



OUR OPINIONS

- Small dimensions of the device.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60