

Code: JA-110TP

THERMOSTAT **JA-110TP** JABLOTRON

Price visible after login

The JA-110TP thermostat is used to adjust the room temperature. The device operates with JABLOTRON control panels of series: 100, and also with "My Jablotron" service. The device is addressable, and occupies one address in alarm system.
ATTENTION! The JA-110TP is not an autonomous device.



SPECIFICATION

Application:	Alarm systems based on JABLOTRON control panels of series 100
Connector type:	Control panel BUS
Temperature set range:	-10 °C ... 40 °C
Hysteresis:	0 °C ... 5 °C
Main features:	• JABLOTRON 100 alarm control panels full support • 4 definable temperature levels • Switching the temperature levels according to a weekly schedule • The possibility of switching the heating plan to "economic" after arming the alarm control panel • Adjustable hysteresis • Correction of device indications : -12.8 °C ... 12.7 °C • Cooperation with the "My Jablotron" service • Tamper detection - opening the enclosure
Operation temp:	-10 °C ... 70 °C
Power supply:	12 V DC - Control panel BUS
"Index of Protection":	IP20
Assembly:	1.5 m over the floor (wall-mounted)
Weight:	0.060 kg
Dimensions:	90 x 66 x 20 mm
Manufacturer / Brand:	JABLOTRON
Guarantee:	2 years

PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Front view:




Mounting side view:



Connectors view:





In the kit:



OUR OPINIONS



- Small dimensions of the device.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------