

Code: DS-PM1-01H-WE

## WIRELESS RELAY MODULE AX PRO **DS-PM1-01H-WE** Hikvision

Net: **54.76 EUR** Gross: **54.76 EUR**

The device is designed to work with the Hikvision AX PRO wireless access control systems operating in the 868 MHz band.



### SPECIFICATION

|                          |   |
|--------------------------|---|
| Support:                 | HIKVISION AX PRO  |
| Number of relay outputs: | 1   |
| Power supply:            | 100 ... 240 V AC  |
| Relay maximal load:      | 13 A (max), 100 V ... 240 V AC  |
| Output:                  | 230 V AC  |
| Application:             | Wireless alarm systems HIKVISION AX PRO   |
| Main features:           | <ul style="list-style-type: none"><li>• Wireless 868 MHz,</li><li>• Bidirectional communication</li><li>• AES-128 data encryption</li><li>• LED indication,</li><li>• Setting scenarios by different events</li><li>• Very easy installation, Small dimensions</li><li>• Wall mounting - self-adhesive tape</li></ul> |
| Operation temp:          | -10 °C ... 55 °C  |
| Weight:                  | 0.032 kg  |
| Dimensions:              | 40 x 34 x 20 mm   |
| Manufacturer / Brand:    | Hikvision   |
| SAP Code:                | 302401745   |
| Guarantee:               | 2 years   |

### PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Rear view:



Connectors:



Side view:





In the kit:



## OUR OPINIONS



- Compactness tool.

## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|