

Code: HAC-EBW3802-0250B

HD-CVI VANDALPROOF CAMERA **HAC-EBW3802-0250B** - 8.3 Mpx, 4K UHD 2.5 mm - Fish Eye DAHUA

Net: **404.46 EUR** Gross: **497.49 EUR**

Megapixel camera with 1/2" CMOS sensor and HD-CVI (High Definition Composite Video Interface) / PAL.

The range of IR illumination according to the manufacturer data, depends on outer conditions (visibility - air transparency, environment, wall colors ie. scene reflectance).

The HD-CVI interface allows to transmission of analog video signal via coaxial cable in 3840 x 2160 - 8.3 Mpx resolution. During transmission there are no delays and is maintained the original, high quality image.



SPECIFICATION


Standard:	HD-CVI
Matrix size:	8.3 Mpx
Sensor:	1/2 " CMOS
Resolution:	3840 x 2160 - 8.3 Mpx, 4K UHD , 2560 x 1440 - 3.7 Mpx , 960 x 576 - 960H, CVBS
Range of IR illumination:	15 m
IR illuminator power adjustment:	Automatic
Lens:	2.5 mm - Fish Eye, F2.0
View angle:	180 °
IR illuminator support:	ICR - Movable InfraRed filter
S/N ratio:	> 65 dB
Video output:	<ul style="list-style-type: none">• HD-CVI, 1 Vpp / 75 Ω• CVBS, 1 Vpp / 75 Ω
Main features:	<ul style="list-style-type: none">• 2D-DNR / 3D-DNR - Digital Noise Reduction• WDR - 120 dB - Wide Dynamic Range• Fisheye-Dewarping - correction of the "fish eye" view to the perspective view• BLC - configurable Back Light Compensation• HLC - High Light Compensation (spot)• AGC - Automatic Gain Control• Auto White Balance
OSD menu:	OSD menu available via recorder
Power supply:	12 V DC / 620 mA
Power consumption:	≤ 7.4 W
Housing:	Dome, Metal
"Index of Protection":	IP67
Vandal-proof:	IK10
Color:	White

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	-30 °C ... 60 °C
Weight:	0.57 kg
Dimensions:	Ø 150 x 48 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Camera mounting side view:



Camera connectors:



Connectors description:



In the kit:

