

Code: HAC-HFW1200R-Z-A-2712-S6

AHD, HD-CVI, HD-TVI, PAL CAMERA **HAC-HFW1200R-Z-A-2712-S6** - 1080p
2.7 ... 12 mm - MOTOZOOM DAHUA
Net: **116.21 EUR** Gross: **116.21 EUR**

Megapixel camera with Progressive scan CMOS sensor and AHD / HD-CVI / HD-TVI / CVBS.

The AHD / HD-CVI / HD-TVI interface allows to transmission of analog video signal via coaxial cable in max. 8 Mpx (4K UHD) resolution. During transmission there are no delays and is maintained the original, high quality image.



SPECIFICATION

Standard:	AHD / HD-CVI / HD-TVI / PAL
Sensor:	Progressive Scan CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p , 960 x 576 - 960H, PAL
Video output:	AHD / HD-CVI / HD-TVI / CVBS, 1 Vpp / 75 Ω
Lens:	2.7 ... 12 mm - Motozoom
View angle:	• 98 ° ... 28 ° (manufacturer data) • 92 ° ... 28 ° (our tests result)
Range of IR illumination:	80 m
IR illuminator power adjustment:	Automatic
Audio:	Microphone built-in - HD-CVI only
S/N ratio:	> 65 dB
Main features:	• Motozoom lens • D-WDR - Wide Dynamic Range • 3D-DNR - Digital Noise Reduction • BLC - Back Light Compensation • HLC - High Light Compensation (spot) • AGC - Automatic Gain Control • ICR - Movable InfraRed filter • Mirror - Mirror image • Privacy zones - max. 8 • Auto White Balance • Sharpness - sharper image outlines

OSD menu:	✓
Power supply:	12 V DC / 790 mA
Power consumption:	≤ 9.4 W
Housing:	Compact, Metal
Color:	White
"Index of Protection":	IP67
Operation temp:	-30 °C ... 60 °C
Weight:	0.53 kg
Dimensions:	210 x 90 x 90 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION


Front view:



Side view:



Mounting side view:



In the kit:



OUR TESTS

HD-CVI:


Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------