

Code: AQUA-PLUS

PIR DETECTOR **AQUA-PLUS** SATEL

Net: **44.10 PLN** Gross: **54.24 PLN**



Digital passive PIR detector.

SPECIFICATION

Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR)
Range:	15 x 14 m
Alarm output:	2EOL/NC - selectable by switch
Sensitivity adjustment:	3-step
Pet immunity:	<input checked="" type="checkbox"/>
Prealarm feature:	<input checked="" type="checkbox"/>
Relay contacts rating (resistive load):	40 mA / 16 V DC
Alarm time:	2 s
Digital temperature compensation:	<input checked="" type="checkbox"/>
Power supply:	12 V DC / 8.5 mA (max)
Operation temp:	-30 °C ... 55 °C
Target speed range:	0.3 ... 3 m/s
Main features:	<ul style="list-style-type: none">• Beams tilt angle adjustment• EOL resistors• 2EOL/NC, NC configurations support
Weight:	0.09 kg

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions:	63 x 96 x 49 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION


Internal view:



Mounting side view:



Examples of connection diagrams:



In the kit:

