

Code: AMBER-2E

PIR DETECTOR **AMBER-2E** SATEL

Net: **7.72 EUR** Gross: **7.72 EUR**



Digital passive PIR detector. The device can interface with any alarm control panel which supports the 2EOL/NC (2 x 1.1 k Ω) type detectors.

SPECIFICATION

Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR)
Range:	12 x 20 m
Sensitivity adjustment:	2 - step
Pet immunity:	—
Alarm time:	2 s
Digital temperature compensation:	✓
Target speed range:	0.3 ... 3 m/s
Power supply:	12 V DC / 3 mA
Main features:	EOL resistors 2 x 1.1 k Ω 2EOL/NC
Operation temp:	-30 °C ... 55 °C
Weight:	0.03 kg
Dimensions:	49 x 66 x 36 mm
Main features:	2EOL/NC
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION


Internal view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Description of particular elements of the device:



1. LED indicator
 2. pyroelectric sensor
 3. LED indication settings
 4. configuration jumpers
 5. tamper contact
 6. cable terminals
- Detector range:





In the kit:



OUR OPINIONS



- Small dimensions of the device.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

