Code: TOPAZ

PIR DETECTOR **TOPAZ** SATEL

Net: 9.33 EUR Gross: 9.33 EUR

Digital passive PIR detector. The device can interface with any alarm control panel which supports the NC, 2EOL/NC (2 x 1.1 kΩ) type detectors.

SPECIFICATION

Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR)
Range:	15 x 14 m
Sensitivity adjustment:	2 - step
Pet immunity:	—
Alarm time:	2 s
Maximal outputs load:	40 mA / 16 V DC
Digital temperature compensation:	✔
Main features:	2EOL/NC, NC configurations support
Power supply:	12 V DC / 8 mA
Operation temp:	-10 °C ... 55 °C
Target speed range:	0.3 ... 3 m/s
Weight:	0.04 kg
Dimensions:	52 x 81 x 33 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION

Internal view:

Description of particular elements of the device:



1. cable terminals
2. LED indication settings
3. LED indicator
4. pyroelectric sensor
5. tamper contact
6. configuration jumpers
7. Terminals

The TOPAZ range depending on the configuration:



Mounting side view + additional elements included in the kit:

OUR OPINIONS

- The device has very small dimensions.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60