

Code: TOPAZ-PET

PIR DETECTOR **TOPAZ-PET** SATEL

Net: **37.00 PLN** Gross: **45.51 PLN**

Digital passive PIR detector, immune to pet weighing up to 20 kg. The device can interface with any alarm control panel which supports the NC, 2EOL/NC (2 x 1.1 kΩ) type detectors.



SPECIFICATION


Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR)
Range:	22 x 16 m
Sensitivity adjustment:	2 - step
Pet immunity:	< 20 kg
Alarm time:	2 s
Maximal outputs load:	40 mA / 16 V DC
Digital temperature compensation:	✓
Power supply:	12 V DC / 8 mA
Main features:	2EOL/NC, NC configurations support
Operation temp:	-10 °C ... 55 °C
Target speed range:	0.3 ... 3 m/s
Weight:	0.04 kg
Dimensions:	52 x 81 x 33 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION


Internal view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Description of particular elements of the device:



1. configuration jumpers
2. LED indication settings
3. LED indicator
4. pyroelectric sensor
5. tamper contact
6. configuration jumpers
7. Terminals

The TOPAZ-PET range depending on the configuration:



Mounting side view + additional elements included in the kit:



OUR OPINIONS



- The device has very small dimensions.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------