

Code: FPKX15DD

## PIR DETECTOR **FPKX15DD** PYRONIX

Net: **13.63 EUR** Gross: **16.76 EUR**



Digital passive PIR detector.

### SPECIFICATION


Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR)
Range:	15 m / 85 °
Sensitivity adjustment:	<ul style="list-style-type: none"><li>• Automatic,</li><li>• 2 - step, manual</li></ul>
Pet immunity:	<input checked="" type="checkbox"/>
Maximal outputs load:	50 mA / 60 V DC, 42 V AC RMS
Digital temperature compensation:	<input checked="" type="checkbox"/>
Alarm output:	NC / EOL-NC / 2EOL-NC
Power supply:	9 ... 16 V DC / 16 mA at 12 V (max)
Target speed range:	0.3 ... 3 m/s
Protection class (Grade):	Grade 2
Operation temp:	-30 °C ... 70 °C
Weight:	0.1 kg
Dimensions:	68 x 115 x 50 mm
Manufacturer / Brand:	PYRONIX
SAP Code:	361300085

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Manufacturer's code:	KX15DD
Guarantee:	5 years

## PRESENTATION


Internal view:



Rear view:



Detector range:



In the kit:

