

Code: DG-75/PLUS

## PIR DETECTOR **DG-75/PLUS** PARADOX

Net: **23.61 EUR** Gross: **23.61 EUR**

Digital passive PIR detector, immune to pet weighing up to 40 kg. The advanced signal analysis algorithms ensure stable operation and low level of false alarms. Device is designed to work indoors.



### SPECIFICATION

Application:	Indoor
Pyroelectric sensor:	2 x Double
Sensor type:	Passive Infra Red (PIR)
Range:	11 x 11 m
Detection angle:	90 °
Recommended installation height:	2.0 m ... 2.7 m
Sensitivity adjustment:	✓
Autodiagnostics:	—
Pet immunity:	< 40 kg
Prealarm feature:	—
Maximal outputs load:	28 V DC / 100 mA
Alarm outputs:	NC
Alarm time:	5 s
Target speed range:	0.2 ... 3.5 m/s
Digital temperature compensation:	—
Power supply:	11 ... 16 V DC
Maximal current consumption:	40 mA (max)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Main features:	<ul style="list-style-type: none"> <li>• Fresnel lens with UV filter</li> <li>• Tamper protections</li> <li>• Patented detection analyzing (without signal analog processing)</li> <li>• Auto Pulse Signal Processing</li> <li>• Digital Shield algorithm reducing the number of false alarms</li> <li>• Test mode</li> <li>• EN50131-2-2 Grade 2</li> </ul>
Environment class:	Class II
Operation temp:	-20 °C ... 50 °C
Color:	White
Weight:	0.13 kg
Dimensions:	74 x 126 x 60 mm
Country of origin:	Canada
Manufacturer / Brand:	PARADOX
Guarantee:	2 years

## PRESENTATION

Side view:



Internal view:






Mounting side view:



Detector range:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------