

Code: PRO-PLUS

PIR DETECTOR **PRO-PLUS** PARADOX

Net: **8.96 EUR** Gross: **11.02 EUR**

The PRO-PLUS passive PIR detector designed to use indoors. The advanced signal analysis algorithms ensure stable operation and low level of false alarms.



SPECIFICATION

Application:	Indoor
Pyroelectric sensor:	Double
Sensor type:	Passive Infra Red (PIR)
Range:	11 x 11 m
Detection angle:	88.5 °
Recommended installation height:	2.1 ... 2.7 m
Sensitivity adjustment:	—
Autodiagnosics:	—
Pet immunity:	—
Prealarm feature:	—
Maximal outputs load:	28 V DC / 150 mA
Alarm outputs:	NC
Alarm time:	3 s
Target speed range:	0.2 ... 3.5 m/s
Digital temperature compensation:	✓
Power supply:	9 ... 16 V DC
Maximal current consumption:	31 mA

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Main features:	<ul style="list-style-type: none"> • Interchangeable Fresnel lenses • Tamper protections • Auto Pulse Signal Processing • Metal shield protecting from EMI, RFI signals • Test mode • EN 50130-4, EN 55022
Operation temp:	-20 °C ... 50 °C
Color:	White
Weight:	0.082 kg
Dimensions:	67 x 93 x 52 mm
Country of origin:	Canada
Manufacturer / Brand:	PARADOX
Guarantee:	2 years

PRESENTATION

Side view:



Internal view:





Mounting side view:



Detector range:

