

Code: LE-337202

# SURFACE-MOUNTING DISTRIBUTION CABINET 48-MODULAR LE-337202 XL<sup>3</sup> S 160 LEGRAND

Net: 175.26 EUR Gross: 215.57 EUR

2-row 48-modular surface-mounting distribution electric cabinet.

NOTE: Doors and terminal blocks must be ordered separately.



## SPECIFICATION

Method of mounting:	Surface
Number of mounted modules:	24 x 2 rows
Spacing between TH 35 rails:	150 mm
Transparent door:	(not included)
Main features:	<ul style="list-style-type: none"><li>• Easily adjustable depth of the TH 35 chassis</li><li>• Large capacity</li><li>• Monobloc housing</li><li>• Flexibility in the selection of terminal blocks</li><li>• Possibility of connecting the housings vertically</li><li>• Max. current : 160 A</li><li>• Short-circuit current : 17 kA</li><li>• Equipped with faceplates at full height</li></ul>
Equipment:	Faceplates : 1 x 2R
Material:	Steel
Color:	White
"Index of Protection":	<ul style="list-style-type: none"><li>• IP30 (without door)</li><li>• IP40 (with door)</li></ul>
IK rating:	<ul style="list-style-type: none"><li>• IK04 (without door)</li><li>• IK07 (with door)</li></ul>
Complies with norms:	IEC/EN 61439-1, IEC/EN 61439-3, IEC 60695-2-1
Operation temp:	-5 °C ... 40 °C

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Weight:	8.78 kg
Dimensions:	595 x 440 x 135 mm
Manufacturer / Brand:	LEGRAND
Guarantee:	2 years

## PRESENTATION

Front view:




Internal view of the housing:



Mounting side view:



Dimensions:



In the kit:

