

Code: LE-337222

FLUSH-MOUNTING DISTRIBUTION CABINET 48-MODULAR **LE-337222 XL³** S 160 LEGRAND

Net: **118.18 EUR** Gross: **145.36 EUR**

2-row 48-modular flush-mounting distribution electric cabinet.
NOTE: Doors and terminal blocks must be ordered separately.



SPECIFICATION

Method of mounting:	Flush
Number of mounted modules:	24 x 2 rows
Spacing between TH 35 rails:	150 mm
Transparent door:	(not included)
Main features:	<ul style="list-style-type: none">• Easily adjustable depth of the TH 35 chassis• Large capacity• Monobloc housing• Flexibility in the selection of terminal blocks• Possibility of connecting the housings vertically• Max. current : 160 A• Short-circuit current : 17 kA• Equipped with faceplates at full height
Equipment:	Faceplates : 1 x 2R
Material:	Steel
Color:	White
"Index of Protection":	<ul style="list-style-type: none">• IP30 (without door)• IP40 (with door)
IK rating:	<ul style="list-style-type: none">• IK04 (without door)• IK07 (with door)
Complies with norms:	IEC/EN 61439-1, IEC/EN 61439-3, IEC 60695-2-1
Operation temp:	-5 °C ... 40 °C

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Weight:	10.76 kg
Dimensions:	665 x 510 x 135 mm , 595 x 440 x 135 mm - flush-mounting box
Manufacturer / Brand:	LEGRAND
Guarantee:	2 years

PRESENTATION

Front view:



Internal view of the housing:




Mounting side view:





Dimensions:



In the kit:

