

Code: LE-601941

# SURFACE-MOUNTING HERMETIC DISTRIBUTION CABINET 12-MODULAR **LE-601941** RN65 LEGRAND

Net: **43.70 EUR** Gross: **53.75 EUR**



1-row 12-modular surface-mounting, hermetic distribution electric cabinet.

## SPECIFICATION

Method of mounting:	Surface
Number of mounted modules:	12 x 1 row
Spacing between TH 35 rails:	—
Transparent door:	✓
Main features:	<ul style="list-style-type: none"><li>• Weatherproof cabinet</li><li>• Fully reversible door and cabinet</li><li>• The TH 35 rail with 2-position mounting for modular products</li><li>• Can be fitted with perforated plates and solid faceplates for mounting non-modular products</li><li>• Lockable door handle, sealable cover and faceplate</li><li>• Rated voltage : 400 V AC, 50 / 60 Hz</li><li>• Max. current : 63 A</li><li>• Short-circuit current : 10 kA</li><li>• Equipped with terminal blocks and modules blanking plates</li></ul>
Equipment:	<ul style="list-style-type: none"><li>• Terminal blocks 1 x ( 12 x 1.5 ... 16 mm<sup>2</sup> + 1 x 6 ... 25 mm<sup>2</sup> ) 1 x ( 8 x 1.5 ... 16 mm<sup>2</sup> )</li><li>• Module blanking plates : 1 x 5 pcs</li></ul>
Material:	Self-extinguishing
Color:	Light gray
"Index of Protection":	IP65
IK rating:	IK09
Complies with norms:	PN-EN 60439-3, IEC 60695-2-11, IEC 62262

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60


Operation temp:	-25 °C ... 40 °C
Weight:	1.928 kg
Dimensions:	340 x 282 x 141 mm
Manufacturer / Brand:	LEGRAND
Guarantee:	2 years


## PRESENTATION

Front view:



Internal view of the housing:






Top view:



Mounting side view:



Dimensions:



In the kit:

