

Code: HNC-25/2/003

# RESIDUAL CURRENT CIRCUIT BREAKER **HNC-25/2/003** AC TYPE 30 mA 25 A EATON

Net: **27.11 EUR** Gross: **27.11 EUR**



Residual current circuit breaker with rated sensitivity of  $I_{\Delta n} = 30\text{mA}$ , AC type. The HNC-25/2/003 circuit breaker is compatible to DIN TS-35 rail mounting system.

## SPECIFICATION

Device type:	Residual current circuit breaker, AC type
Rated sensitivity:	30 mA
Rated current:	25 A
Number of poles:	2
Breaking capacity:	6000 A
Rated voltage:	230 V / 50 Hz
Connectors type:	screw terminals
Wire gauge:	1 x 1.5 mm <sup>2</sup> - 35 mm <sup>2</sup> or 2 x 16 mm <sup>2</sup>
Main features:	<ul style="list-style-type: none"><li>• Contact position indicator</li><li>• Can be connected with using the supply busbars fork-type or prong-type</li><li>• Possibility of sealing</li></ul>
Housing:	Plastic, DIN, TS-35 rail mounting
Width in 17.5 mm modules:	2
Weight:	0.195 kg
Dimensions:	35 x 80 x 76 mm
Manufacturer / Brand:	EATON
Guarantee:	2 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

## PRESENTATION

Front view:



Mounting side view:



**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

