

Code: ATLO-S2IP6

DOUBLE SURFACE SOCKET OUTLET **ATLO-S2IP6** IP66

Net: **12.00 EUR** Gross: **12.00 EUR**

Surface-mounted hermetic socket outlet with grounding and a shutter for power lines. The product meets the IP66 tightness class.

Equipment intended for outdoor installation and in places with increased humidity.



SPECIFICATION

Rated voltage:	220 ... 240 V, 50 / 60 Hz
Maximal total load:	3840 W
Total maximal current:	16 A
Number of outlets:	2 pcs
Socket type:	CEE 7/3 (Schuko)
Grounding:	✓
Housing:	Plastic
"Index of Protection":	IP66
Main features:	Current paths shutters
Color:	Gray
Operation temp:	-20 °C ... 60 °C
Weight:	0.625 kg
Dimensions:	165 x 171 x 113 mm
Manufacturer / Brand:	ATLO
Guarantee:	2 years

PRESENTATION




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Internal view of the housing:



Connectors:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60