

Code: LE-419170

CIRCUIT BREAKER **LE-419170** THREE-PHASE 20 A B TYPE LEGRAND

Net: **8.99 EUR** Gross: **11.06 EUR**

Thermal-magnetic circuit breaker with B-type curve and 20A rated current. The LE-419170 circuit breaker is compatible to DIN TS-35 rail mounting system.

Circuit breakers with B-type breaking curve are designed to protection against short-circuits and overloads of the lighting, control circuits and outlets.



SPECIFICATION

| | |
|---------------------------|---|
| Device type: | Circuit Breaker, Three-phase |
| Rated current: | 20 A |
| Number of poles: | 3 |
| Tripping curves: | B type |
| Breaking capacity: | 6000 A |
| Rated voltage: | <ul style="list-style-type: none">• 230 V AC / 50 Hz• 400 V AC / 50 Hz |
| Connectors type: | screw terminals |
| Housing: | Plastic, DIN, TS-35 rail mounting |
| Width in 17.5 mm modules: | 3 |
| Weight: | 0.38 kg |
| Dimensions: | 54 x 83 x 75 mm |
| Manufacturer / Brand: | LEGRAND |
| Guarantee: | 2 years |

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Front view:




Mounting side view:



Bottom view:



Tripping curves:



1. Tripping time (s)
2. The multiplier of the rated current