

Code: LE-412523

MODULAR CONTACTOR **LE-412523** 25 A 250 V AC LEGRAND

Net: **13.28 EUR** Gross: **16.33 EUR**

The LE-412523 contactor has two Normally Open contacts. Both control and power supply voltage uses alternating current. The device has no manipulator for manual operation.

The LE-412523 device is designed to mount on DIN TS-35 rail.



SPECIFICATION

Device type:	Contactor - NO, One-phase
Nominal load current:	25 A
Rated load voltage:	max. 250 V AC
Nominal power voltage:	230 V AC
Maximum switching capacity:	<ul style="list-style-type: none">• 3000 W (for bulbs)• 1540 VA (for fluorescent lamps)• 980 VA (for fluorescent lamps with parallel compensation)
Number of poles:	2
Category of use:	AC1
Connectors type:	screw terminals
Main features:	Provided space for a label with description
Housing:	Plastic, DIN, TS-35 rail mounting
Width in 17.5 mm modules:	1
Weight:	0.12 kg
Dimensions:	67 x 94 x 17.5 mm
Manufacturer / Brand:	LEGRAND
Guarantee:	2 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Front view:



Side view:



Mounting side view:

