

Code: DC-200

VOLTAGE CONVERTER **DC-200** 10 A

Net: **17.12 EUR** Gross: **17.12 EUR**



The DC-200 device converts the input voltage to the 12V DC value.

SPECIFICATION

| | |
|----------------------------|---|
| Type: | Decreasing the voltage, DC/DC |
| Power voltage: | 21 V ... 30 V DC |
| Output voltage: | 12 V ... 14 V DC |
| Output voltage adjustment: | — |
| Output current: | <ul style="list-style-type: none">• 10 A (continuous operation)• max. 15 A (instantaneous operation) |
| Power: | <ul style="list-style-type: none">• 120 W (continuous operation)• 200 W (instantaneous operation) |
| Protections: | <ul style="list-style-type: none">• Overvoltage,• Undervoltage,• Short-circuit |
| Weight: | 0.44 kg |
| Dimensions: | 145 x 86 x 20 mm |
| Operation temp: | 0 °C ... 40 °C |
| Guarantee: | 2 years |

PRESENTATION


Top view:



Connectors:



Mounting side view:



In the kit:



OUR OPINIONS

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



- Solid metal housing.

PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

