

Code: P-SEP1

VIDEO SEPARATOR **P-SEP1**

Net: 35.60 PLN Gross: 43.79 PLN

The P-SEP1 is designed for additional protection in CCTV installations, securing the cameras and other devices from voltage differences and strokes between devices and electric currents in signal ground cable.



SPECIFICATION

Device type:	Passive
Number of inputs:	1 pcs BNC
Number of outputs:	1 pcs BNC
Input impedance:	75 Ω
Output impedance:	75 Ω
Opto-isolation between inputs and outputs:	600 V peak
Attenuation:	max. 3 dB
Bandwidth:	10 MHz
Power supply:	—
Operation temp:	-20 ... 55 °C
Weight:	0.04 kg
Dimensions:	56 x 28 x 21 mm
Manufacturer / Brand:	PULSAR
Guarantee:	2 years



PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



OUR TESTS

Our tests:



OUR OPINIONS



- The device is of limited use and only in some cases gives satisfactory results.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

