

Code: DHI-ASC1204C

DHI-ASC1204C DAHUA

Net: 478.13 EUR Gross: 478.13 EUR



The DHI-ASC1204C controller is intended to use in access control systems based on electrical control of door opening.

SPECIFICATION

Support:	DAHUA
Number of supported readers:	4 pcs
Battery backup support:	max. 7 Ah
Input lines:	9
Output lines:	5 (4 pcs Relay)
Communication:	• RS-485, • Ethernet, • Wiegand
Power supply:	230 V AC
Main features:	• 100000 indexed users • History of 150000 events • Remote programming from PC • Metal housing
Operation temp:	-30 °C ... 60 °C
Permissible relative humidity:	max. 95 % (non-condensing)
Weight:	2.31 kg
Dimensions:	260 x 290 x 85 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Front view:



Internal view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Side view:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------