

Code: PR311SE-BK-G

ACCESS CONTROLLER **PR311SE-BK-G** ROGER

Net: **71.89 EUR** Gross: **88.42 EUR**



Outdoor proximity cards and key-fobs reader with controller built-in. Unique 125 kHz standard.

SPECIFICATION

Cards support:	Unique EM 125kHz
Reading distance of prox-keys:	max. 15 cm
Keyboard built-in:	—
Communication:	<ul style="list-style-type: none">• RS-485• RACS (Roger)
Selected features of the standalone mode:	<ul style="list-style-type: none">• 1000 indexed users• Operation with XM-2 I/O extension module (Full Standalone Mode)
Main features:	<ul style="list-style-type: none">• The ability to add additional reader (bilateral way door control),• 3 programmable input lines NO/NC,• 2 programmable transistor outputs 1A,• One programmable relay output 1.5A/30V,• Door modes (Normal, Locked, Unlocked and Conditionally Unlocked),• Any topology of communication bus,• "Guest" type additional users support defined individually on each controller,• Integration with an alarm system via in/out line ,
Power supply:	10 ... 15 V DC
Average current consumption:	50 mA
Operation temp:	-25 °C ... 60 °C
Permissible relative humidity:	10 ... 95 % (non-condensing)
Weight:	0.18 kg
Dimensions:	152.5 x 46 x 23 mm (Standard housing stand) 152.5 x 46 x 35 mm (Thicker housing stand)
Manufacturer / Brand:	ROGER

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION

Front panel:



Mounting side view:






In the kit:



Dimensions:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60