

Code: DHI-ASC1202B-D

ACCESS CONTROLLER **DHI-ASC1202B-D** DAHUA

Net: **144.75 EUR** Gross: **144.75 EUR**

The DHI-ASC1202B-D controller is intended to use in access control systems based on electrical control of door opening.




SPECIFICATION

Support:	DAHUA
Number of supported readers:	4 pcs
Battery backup support:	—
Input lines:	8
Output lines:	6 pcs (4 pcs Relay)
Communication:	• RS-485, • Ethernet, • Wiegand 34/26
Power supply:	9 ... 15 V / 500 mA DC
Main features:	• 100000 indexed users • History of 150000 events • Remote programming from PC • Watchdog built-in • Possibility to mount on a wall, or on the DIN TS-35 rail
Operation temp:	-30 °C ... 60 °C
Permissible relative humidity:	max. 95 % (non-condensing)
Weight:	0.388 kg
Dimensions:	206 x 117 x 51 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Device connectors:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60