

Code: DS-K2802

ACCESS CONTROLLER **DS-K2802** Hikvision

Net: **886.00 PLN** Gross: **1 089.78 PLN**



The DS-K2802 controller is intended to use in access control systems based on electrical control of door opening.

SPECIFICATION

Number of supported readers:	4 pcs @ Wiegand
Battery backup support:	—
Input lines:	2 pcs - Alarm inputs , 2 pcs - Reed switch , 2 pcs - Door/gate opening button
Output lines:	2 pcs - Lock relay , 2 pcs - Relay
Communication:	<ul style="list-style-type: none">• Ethernet,• Wiegand
Power supply:	230 V AC
Main features:	<ul style="list-style-type: none">• 10 000 indexed users• History of 50 000 events• Remote programming from PC• Metal housing
Operation temp:	-20 °C ... 65 °C
Permissible relative humidity:	10 % ... 95 % (non-condensing)
Weight:	2.32 kg
Dimensions:	285 x 235 x 90 mm
Manufacturer / Brand:	Hikvision
SAP Code:	302901272
Guarantee:	3 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION

Front view:



Mounting side view:







Top view:



Internal view of the housing:



In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60