

Code: ASC1204B-S

# ACCESS CONTROLLER **ASC1204B-S** DAHUA

Net: **179.89 EUR** Gross: **221.26 EUR**



The ASC1204B-S controller is intended to use in access control systems based on electrical control of door opening.

## SPECIFICATION


Support:	DAHUA
Number of supported readers:	4 pcs
Battery backup support:	—
Input lines:	9
Output lines:	5 ( 4 pcs Relay )
Communication:	<ul style="list-style-type: none"><li>• RS-485,</li><li>• Ethernet,</li><li>• Wiegand</li></ul>
Power supply:	12 V / 1000 mA DC
Main features:	<ul style="list-style-type: none"><li>• 100000 indexed users</li><li>• History of 150000 events</li><li>• Remote programming from PC</li></ul>
Default IP address:	192.168.0.2
Default admin user / password:	admin / 123456
Operation temp:	-30 °C ... 60 °C
Permissible relative humidity:	max. 95 % (non-condensing)
Weight:	0.386 kg
Dimensions:	207 x 118 x 52 mm
Manufacturer / Brand:	DAHUA
Guarantee:	<b>3 years</b>

## PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Mounting side view:



In the kit:

