

Code: ASC1202B-D

ACCESS CONTROLLER **ASC1202B-D** DAHUA

Net: **163.74 EUR** Gross: **201.40 EUR**



The ASC1202B-D controller is intended to use in access control systems based on electrical control of door opening.

SPECIFICATION

| | |
|--------------------------------|---|
| Support: | DAHUA |
| Number of supported readers: | 4 pcs |
| Battery backup support: | — |
| Input lines: | 8 |
| Output lines: | 6 pcs (4 pcs Relay) |
| Communication: | <ul style="list-style-type: none">• RS-485,• Ethernet,• Wiegand 34/26 |
| Power supply: | 9 ... 15 V / 500 mA DC |
| Main features: | <ul style="list-style-type: none">• 100000 indexed users• History of 150000 events• Remote programming from PC• Watchdog built-in• Possibility to mount on a wall, or on the DIN TS-35 rail |
| Operation temp: | -30 °C ... 60 °C |
| Permissible relative humidity: | max. 95 % (non-condensing) |
| Weight: | 0.39 kg |
| Dimensions: | 206 x 117 x 51 mm |
| Manufacturer / Brand: | DAHUA |
| Guarantee: | 3 years |

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

