

Code: ASC1202B-S

ACCESS CONTROLLER **ASC1202B-S** DAHUA

Net: **107.46 EUR** Gross: **132.18 EUR**



The ASC1202B-S controller is intended to use in access control systems based on electrical control of door opening.

SPECIFICATION

Support:	DAHUA
Number of supported readers:	2 pcs
Battery backup support:	—
Input lines:	6
Output lines:	4 (2 pcs Relay)
Communication:	<ul style="list-style-type: none">• RS-485,• Ethernet,• Wiegand
Power supply:	12 V / 500 mA DC
Main features:	<ul style="list-style-type: none">• 100000 indexed users• History of 150000 events• Remote programming from PC
Default IP address:	192.168.0.2
Default admin user / password:	admin / 123456
Operation temp:	-30 °C ... 60 °C
Permissible relative humidity:	max. 95 % (non-condensing)
Weight:	0.27 kg
Dimensions:	155 x 116 x 52 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Device connectors:



