


Code: CPR32-SE-BRD

ACCESS CONTROL PANEL **CPR32-SE-BRD** ROGER

Net: **449.00 PLN** Gross: **552.27 PLN**

The CPR32-SE-BRD access control panel is the part of the RACS4 access control system.

The use of the control panel in the RACS 4 system enables centralized management of the system, support of the central event buffer, clock and calendar, the ability to connect individual controllers into concurrently rearmed alarm zones.




SPECIFICATION


Inputs:	<ul style="list-style-type: none">• 8 pcs - Mainboard inputs• max. 32
Outputs:	<ul style="list-style-type: none">• 4 pcs - Transistor outputs• 2 pcs - Relay outputs NO/NC
Communication:	<ul style="list-style-type: none">• RS-485,• RACS (Roger)
Events memory:	Non-volatile log buffer of the last 250 000 events
Output load:	<ul style="list-style-type: none">• Transistor outputs : 1 A / 15 V DC• Relay outputs : REL1 - 1.5 A / 30 V DC REL2 - 5 A / 230 V AC
Main features:	<ul style="list-style-type: none">• Ability to block/unblock partition at a specified time, or as per access schedule,• Central management of the access control system,• Integration with the alarm system SATEL INTEGRA,• History of 250 000 events• Electrical protection of all inputs and outputs as well as communication buses• DIN, TS-35 rail mounting
Power supply:	<ul style="list-style-type: none">• 24 V DC• 12 V DC• 18 V AC
Battery backup support:	<input type="checkbox"/>
Operation temp:	5 °C ... 40 °C
Permissible relative humidity:	10 % ... 95 % (non-condensing)
Dimensions:	105 x 85 x 50 mm
Weight:	0.12 kg
Manufacturer / Brand:	ROGER
Guarantee:	3 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


PRESENTATION



Top view:



Mounting side view:



In the kit:

