

Code: ATLO-FR-601

ACCESS CONTROLLER WITH FACE RECOGNITION + READER **ATLO-FR-601**

Net: **102.63 EUR** Gross: **126.23 EUR**



Access controller based on face recognition, fingerprints and RFID cards and key fobs.

SPECIFICATION

Face recognition distance:	0.5 m ... 1 m (max 1000 faces in the database)
RFID proximity reader built-in:	Unique EM 125kHz - Number of supported proximity cards : 10 000
Fingerprint reader built-in:	Memory of 600 fingerprint patterns
Range of IR illumination:	5 m
White light LED illuminator range:	—
Video output:	—
Wiegand interface:	✓
RS-485 interface:	—
Alarm inputs / outputs:	0 / 1 - Relay output
Main features:	<ul style="list-style-type: none">• Built-in LCD display showing the image from the video camera• Identification modes : Face recognition, Fingerprint, Proximity identifier Unique EM 125kHz, Any combination of the above• Wiegand 26• LEDs and buzzer• Buzzer for acoustic signaling of some system events
Power supply:	12 V DC
Power consumption:	≤ 3.6 W (operation) ≤ 2.2 W (standby)
Housing:	Aluminum + Tempered glass, Vandal-proof

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Color:	Silver + Black
"Index of Protection":	IP65
Operation temp:	-40 °C ... 60 °C
Weight:	0.38 kg
Dimensions:	170 x 70 x 24 mm
Manufacturer / Brand:	ATLO
Guarantee:	2 years

PRESENTATION

Front view:



Rear view:





Connectors:



In the kit:

