

Code: PR102DR

ACCESS CONTROLLER **PR102DR**

Net: **87.89 EUR** Gross: **87.89 EUR**



Single door access controller, adapted to connection of two, external, PRT series readers.

SPECIFICATION

Environment class:	I
Relay contacts load:	1.5 A / 30 V
Battery backup support:	—
Input lines:	2
Output lines:	2
Communication:	<ul style="list-style-type: none">• RS-485• RACS (Roger)
Power supply:	10 ... 15 V DC
Main features:	<ul style="list-style-type: none">• PRT series readers support• DIN, TS-35 rail mounting• 4000 indexed users• History of 32000 events• Real-time clock and calendar• Remote programming from PC
Operation temp:	5 °C ... 40 °C
Permissible relative humidity:	10 ... 95 % (non-condensing)
Weight:	0.13 kg
Dimensions:	98 x 88 x 73 mm
Manufacturer / Brand:	ROGER
Guarantee:	2 years

PRESENTATION

Front view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Mounting side view:



In the kit:





PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

