

Code: ATLO-RFM-505

FINGERPRINT READER + RFID ATLO-RFM-505

Net: 70.26 EUR Gross: 86.42 EUR

Indoor, autonomous fingerprint and RFID card reader.

Autonomous operation of the device allows the user to:

- Open by using a card or fingerprint.
- Remember stored cards and fingerprint patterns.
- Signaling left the door open.
- Acoustic and optical signaling.

Administrator capabilities are following:

- Programming by using included remote IR controller.
- Adding a user by using the MASTER card or remote IR controller.
- Deleting a user by using the MASTER card or remote IR controller.
- Setting the lock release time.
- Restoring the default settings.



SPECIFICATION

| | |
|--------------------------------|---|
| Cards support: | Unique EM 125kHz |
| Reading distance of prox-keys: | max. 6 cm |
| Autonomous operation: | ✓ |
| Keyboard built-in: | — |
| Doorbell button: | — |
| Tamper output: | — |
| Power supply: | 12 V DC ± 10% |
| Maximal current consumption: | 80 mA |
| Relay contacts load: | 3 A / 24 V |
| Identification time: | < 1 s |
| FAR (False Acceptance Rate): | < 0.0000256 % |
| FRR (False Rejection Rate): | < 0.0198 % |
| Main features: | <ul style="list-style-type: none">• 500 indexed users• Memory of 200 fingerprint patterns• Support for door contact and exit button• Possible connection of the external ATLO-R series reader (read in/out access control)• Wiegand interface |
| Operation temp: | -20 °C ... 50 °C |
| Permissible relative humidity: | 20 ... 95 % (non-condensing) |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


| | |
|------------------------|------------------|
| "Index of Protection": | IP40 |
| Housing: | Metal |
| Color: | Silver / Black |
| Weight: | 0.37 kg |
| Dimensions: | 126 x 61 x 33 mm |
| Manufacturer / Brand: | ATLO |
| Guarantee: | 3 years |

PRESENTATION

Front panel view:



Internal view:



Mounting side view:



In the kit:



OUR OPINIONS



- Too poorly polished metal surface of the housing near the fingerprint reader.