

Code: ATLO-RFM-501

FINGERPRINT READER + RFID ATLO-RFM-501

Net: 120.55 EUR Gross: 148.28 EUR



Indoor, autonomous fingerprint and RFID card reader.
Autonomous operation of the device allows the user to:

- Open by using a card or fingerprint.
- Remember stored cards and fingerprint patterns.
- Signaling left the door open.
- Acoustic and optical signaling.

Administrator capabilities are following:

- Programming by using included remote IR controller.
- Adding a user by using the MASTER card or remote IR controller.
- Deleting a user by using the MASTER card or remote IR controller.
- Setting the lock release time.
- Restoring the default settings.

SPECIFICATION

Cards support:	Unique EM 125kHz
Reading distance of prox-keys:	max. 6 cm
Autonomous operation:	✓
Keyboard built-in:	—
Doorbell button:	—
Tamper output:	—
Power supply:	12 V DC ± 10%
Maximal current consumption:	140 mA
Relay contacts load:	3 A / 24 V
Identification time:	< 1 s
FAR (False Acceptance Rate):	< 0.0000256 %
FRR (False Rejection Rate):	< 0.0198 %
Main features:	<ul style="list-style-type: none">• 2000 indexed users• Memory of 1000 fingerprint patterns• Support for door contact and exit button• Possible connection of the external ATLO-R series reader (read in/out access control)
Operation temp:	-20 °C ... 50 °C
Permissible relative humidity:	20 ... 95 % (non-condensing)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


"Index of Protection":	IP40
Housing:	Metal
Color:	Silver / Black
Weight:	0.395 kg
Dimensions:	75 x 111 x 33 mm
Manufacturer / Brand:	ATLO
Guarantee:	3 years

PRESENTATION

Front panel view:



Internal view:



Mounting side view:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------